EAST Search History

EAST Search History (Prior Art)

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------|-------|--|--|---------------------|---------|---------------------|
| L1 | 16528 | (foil or metal) same (overlap \$4)) (glazing or window or (glass near3 (substrate or panel or spandrel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:05 |
| L2 | 388 | i1 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:06 |
| L3 | 5438 | (foil or metal) same (overlap \$4) same (glazing or window or (glass near3 (substrate or panel or spandrel))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:06 |
| L4 | 79 | l3 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:07 |
| L5 | 8907 | (foil or metal) same (overlap \$4 or envelop\$3) same (glazing or window or (glass near3 (substrate or panel or spandrel))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:07 |
| L6 | 886 | (foil or metal) same ((overlap\$4 or envelop\$3) near3 edge) same (glazing or window or (glass near3 (substrate or panel or spandrel))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:09 |
| L7 | 11 | l6 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:09 |
| L8 | 200 | l6 "52".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:10 |
| L9 | 56 | (foil) same ((overlap\$4 or envelop\$3) near3 edge) same (glazing or window or (glass near3 (substrate or panel or spandrel))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:12 |
| L10 | 3 | (foil) same ((overlap\$4 or envelop\$3) near3 edge) same (thermal adj stress\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:18 |

| L11 | 2194 | (foil) same ((overlap\$4 or envelop\$3) near3 edge) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:19 |
|-----|------|---|--|-----|----|---------------------|
| L12 | 105 | (foil) same ((overlap\$4 or envelop\$3) near3 edge) same (mm) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:19 |
| L13 | 3 | l12 "52".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:20 |
| L14 | 2 | l12 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:20 |
| L15 | 28 | l11 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:22 |
| L16 | 154 | l11 (glazing or window or (glass near3 (substrate or panel or spandrel))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:24 |
| L17 | 1772 | (foil or metal) same (overlap \$4 or envelop\$3) same (glass near3 (substrate or panel or spandrel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:31 |
| L18 | 151 | (foil or metal) same ((overlap\$4 or envelop\$3) near3 edge) same (glass near3 (substrate or panel or spandrel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:32 |
| L19 | 159 | (foil or metal\$3) same ((overlap\$4 or envelop\$3) near3 edge) same (glass near3 (substrate or panel or spandrel)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/13 09:32 |
| S1 | 2 | "20070172671" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 10:25 |
| S2 | 10 | (5714199 5330602 4420502 5468542).pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 10:28 |
| S3 | 31 | roger.in. near2 leach.in. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 10:43 |

| S4 | 221 | 427/493.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 10:57 |
|-----|-------|---|--|-------------|----|---------------------|
| S5 | 123 | S4 (glass or glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 10:58 |
| S6 | 8 | ("5714199").URPN. | USPAT | AND | ON | 2008/06/02 11:03 |
| S7 | 289 | (infra near2 red) near5 powder | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:05 |
| S8 | 154 | S7 (glazing or glass) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:06 |
| S9 | 6 | "5264037" | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:08 |
| S10 | 58810 | (infra near2 red) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:14 |
| S11 | 1 | S10 (heat or cure) near5 (powder or particle) near10 ((glazing or glass or silica) same substrate) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:15 |
| S12 | 1 | S10 (heat or cure) near5 (powder or particle) near10 ((glazing or glass or silica) same substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 11:16 |
| S13 | 7 | "5387442" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 11:28 |
| S14 | 390 | 427/521.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 11:29 |
| S15 | 66 | S14 ((glass or glazing) same substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AN D | ON | 2008/06/02 11:35 |
| S16 | 21 | "5885483" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AN D | ON | 2008/06/02 11:47 |
| S17 | 4 | ("3294699" "4840747" "5376303").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:48 |
| S18 | 4 | ("3294699" "4840747" "5376303").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 11:49 |
| S19 | 2918 | heated near3 (substrate same (glass or silica)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:12 |

| S20 | 775 | S19 (powder or particle near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:12 |
|-----|------|--|--|-----|----|---------------------|
| S21 | 11 | "4735861" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:20 |
| S22 | 7 | ("4735861").URPN. | USPAT | and | ON | 2008/06/02 13:25 |
| S23 | 12 | "4022601" | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 13:27 |
| S24 | 1729 | 65/60.1-60.5.ccls. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 13:31 |
| S25 | 1 | S24 (thermoset\$4 near5 polyester) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 13:32 |
| S26 | 58 | S24 (polyester) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 13:32 |
| S27 | 395 | 65/60.3.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:43 |
| S28 | 2 | "6797321" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:47 |
| S29 | 751 | S24 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:53 |
| S30 | 37 | S29 (polyester or thermosetting) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 13:54 |
| S31 | 3 | ("5116892" "5407697" "5837160").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 13:55 |
| S32 | 30 | S27 (polyester) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 14:13 |
| S33 | 6 | S32 (heated substrate) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 14:14 |
| S34 | 1 | S32 (heated near3 substrate) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 14:15 |
| S35 | 10 | ("5089076").URPN. | USPAT | AND | ON | 2008/06/02 15:37 |
| S36 | 37 | S14 (heated near5 substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/02 15:40 |

| S37 | 9 | ("4210687" "4528127" "4828900" "5021297" "5096785" "5247395" "5252402" "5330602" "5519542").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 15:48 |
|-----|-------|---|--|-----|----|---------------------|
| S38 | 13197 | infrared near3 heating | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 15:50 |
| S39 | 1385 | S38 (glass near3 substrate) | US-PGPUB; USPAT; USOCR | and | ON | 2008/06/02 15:50 |
| S40 | 23 | S39 (thermosetting near3 polymer) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 15:50 |
| S41 | 44648 | (heated near3 substrate) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 15:53 |
| S42 | 56 | S41 (thermosetting near3 polymer near3 coat\$3) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 15:53 |
| S43 | 3 | "6001427" | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 16:07 |
| S44 | 3 | ("5019440" "5300174" "5714199").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/02 16:21 |
| S45 | 4829 | infrared near3 oven | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/04 11:26 |
| S46 | 405 | S45 (heated near5 substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/04 11:26 |
| S47 | 287 | S46 (glass or silica) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/04 11:29 |
| S48 | 53 | S45 (heated adj substrate) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/04 11:32 |
| S49 | 191 | 219/711.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/04 11:44 |
| S50 | 1 | ("6001427").URPN. | USPAT | AND | ON | 2008/06/04 13:12 |

| S51 | 36 | ("1395379" "1614925" "1833317" "3513012" "3660136" "3669705" "3682738" "3690298" "3832974" "4206248" "4316939" "4507332" "4806388" "5000979" "5384165" "5387653" "5455080" "5620743" "5834067" "5891515" "5916639" "5981086" "6001427" "6020034" "6025035" "6042892" "6124000" "6200678" "6245391" "6284311").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:12 |
|-----|-----|---|---------------------------|-----|----|---------------------|
| S52 | 87 | 264/458.ccls. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:15 |
| S53 | 156 | 65/29.18.ccls. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:17 |
| S54 | 3 | (infrared near3 heat\$3) (glass same substrate) (polyester near3 powder) (heat\$3 near5 bottom) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:31 |
| S55 | 11 | (infrared near3 heat\$3) (glass same substrate) (polyester near3 powder) (heat\$3 near5 (bottom or lower)) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:31 |
| S56 | 0 | (infrared near3 heat\$3) (glass same substrate) (polyester near3 powder) (heat\$3 near5 (bottom or lower) near10 surface) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:33 |
| S57 | 0 | (infrared near3 heat\$3) (glass same substrate) (thermosetting near3 powder) (heat\$3 near5 (bottom or lower) near10 surface) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:33 |
| S58 | 241 | (infrared near3 heat\$3) (glass same substrate) (heat \$3 near5 (bottom or lower) near10 surface) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 13:33 |
| S59 | 11 | ("4022601").URPN. | USPAT | AND | ON | 2008/06/04 13:36 |
| S60 | 9 | "6088931" | USPAT | AND | ON | 2008/06/04 13:56 |
| S61 | 10 | ("5300174").URPN. | USPAT | AND | ON | 2008/06/04 14:44 |
| S62 | 3 | (3410710 3852098).pn. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 15:01 |
| S63 | 1 | (infrared adj reflectance) near3 heater | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 15:39 |

| S64 | 0 | (infrared adj reflectance) near3 box | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 15:46 |
|-----|------|--|--|-----|----|---------------------|
| S65 | 35 | "3612828" | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 15:49 |
| S66 | 10 | "3549466" | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 17:40 |
| S67 | 7321 | foil near3 (edge or edging) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 17:49 |
| S68 | 1854 | S67 glass | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 17:49 |
| S69 | 14 | S68 powder near coating | US-PGPUB; USPAT; USOCR | and | ON | 2008/06/04 17:49 |
| S70 | 335 | S67 (glass same substrate) | US-PGPUB; USPAT; USOCR | AND | ON | 2008/06/04 17:51 |
| S71 | 65 | "3758996" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/05 09:15 |
| S72 | 54 | "2974377" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/06/05 10:38 |
| S73 | 65 | "5439896" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 14:37 |
| S74 | 15 | (thermoset\$4 near3 powder \$1) (glass or glazing) (pyrolytic) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 14:41 |
| S75 | 11 | ("2215996" "3161537" "3660061" "3689304" "3778243" "3850679" "3880112" "3888649").PN. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/12/18 14:44 |
| S76 | 11 | ("4022601").URPN. | USPAT | AND | ON | 2008/12/18 14:45 |
| S78 | 2 | (3660061 3850679).pn. | US-PGPUB; USPAT; USOCR | AND | ON | 2008/12/18 15:10 |
| S79 | 23 | "5747174" | US-PGPUB; USPAT; USOCR | and | ON | 2008/12/18 16:09 |
| S80 | 815 | (thermoset\$4 near3 powder \$1).ab. (glass or glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 16:18 |
| S81 | 30 | S80 (method near3 coating). ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 16:19 |

| S82 | 323 | S80 (composition).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 16:19 |
|-----|-----|--|--|-----|----|---------------------|
| S83 | 1 | S81 (adhesion near3 promot \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 16:22 |
| S84 | 1 | S81 (silane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:28 |
| S85 | 4 | S82 (adhesion near3 promot \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:30 |
| S86 | 15 | S82 (silane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:31 |
| S87 | 42 | S80 (silane) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:41 |
| S88 | 4 | S87 (infrared or "IR") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:42 |
| S89 | 5 | (thermoset\$4 near3 powder \$1).ab. (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:46 |
| S90 | 16 | (thermoset\$4 near3 powder \$1) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:47 |
| S91 | 1 | (foil near3 edge) (glazing. ab.) (thermal near3 stress) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 17:56 |
| S92 | 61 | (thermal adj stress) (glazing. ab.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 18:03 |
| S93 | 0 | S92 (edge near3 metal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 18:03 |
| S94 | 8 | S92 (edge near3 seal\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 18:04 |

| S95 | 19 | "5270391" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 18:14 |
|------|-----|--|--|-----|----|---------------------|
| S96 | 9 | S95 (substrate same (glass or glazing)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 18:15 |
| S97 | 1 | S95 (substrate same (glazing)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/18 18:17 |
| S98 | 14 | "4536424" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:08 |
| S99 | 75 | (frame near3 overlap) (glazing.ab.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:09 |
| S100 | 0 | ((foil near3 edge) same (overlap\$4)) (glazing.ab.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:17 |
| S101 | 3 | ((foil near3 edge) same (overlap\$4)) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:17 |
| S102 | 9 | ((metal near3 border) same (overlap\$4)) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:18 |
| S103 | 36 | ((metal near3 edge) same (overlap\$4)) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:20 |
| S104 | 9 | "3540118" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 08:59 |
| S105 | 32 | "5007217" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 09:12 |
| S106 | 3 | ((foil near3 clip) same (overlap\$4)) (glazing or window) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 09:14 |
| S107 | 105 | ((metal near3 clip) same (overlap\$4)) (glazing or window) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 09:15 |

| S108 | 1828 | ((metal near3 clip) same thickness) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AN D | ON | 2008/12/19 09:29 |
|------|-------|--|--|-------------|----|---------------------|
| S109 | 5 | ((metal near3 clip) with thickness) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 09:30 |
| S110 | 31 | ((metal near3 clip) same thickness) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 09:41 |
| S111 | 6 | (foil near3 overlap\$4) (glazing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 09:45 |
| S112 | 12 | "3549466" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 12:18 |
| S113 | 23 | "1988964" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2008/12/19 12:18 |
| S114 | 30709 | infrared near3 (heating or heater) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/11/19 18:49 |
| S115 | 237 | S114 (thermosetting near5 (powder or paint)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2009/11/19 18:49 |
| S116 | 121 | S115 (glazing or glass. detd.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AN D | ON | 2009/11/19 18:50 |
| S117 | 73 | 264/431.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/11 15:43 |
| S118 | 83 | (heat\$3) (glass same substrate) (polyester near3 powder) (heat\$3 near5 bottom or (second near3 surface) or (bottom adj most)) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/11 15:58 |
| S119 | 20 | (heat\$3) (glass same substrate) (polyester near3 powder) (heat\$3 near5 (bottom or (second near3 surface) or (bottom adj most))) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/11 16:00 |

| S120 | 13640 | 427/508,521,162- 168,195,386,389.7- 389.8,544,545,559.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 11:14 |
|------|--------|---|--|-------------|----|---------------------|
| S121 | 7 | S120 ((glass same substrate) (polyester near3 powder) (heat\$3 near5 bottom or (second near3 surface) or (bottom adj most))) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/12 11:14 |
| S122 | 124 | S120 ((glass same substrate) same (heat\$3 near5 bottom or (second near3 surface) or (bottom adj most))) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/12 11:17 |
| S123 | 9 | S120 ((glass same substrate) same (heat\$3 near5 (bottom or (second near3 surface) or (bottom adj most)))) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/12 11:19 |
| S124 | 172 | S120 (heat\$3 near5 (bottom or (second near3 surface) or (bottom adj most))) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/12 11:21 |
| S125 | 10 | S124 (thermosetting near3 powder) | US-PGPUB; USPAT; USOCR | AND | ON | 2010/08/12 11:21 |
| S126 | 85728 | ((back or under or lower) near3 (surface)) with (heat \$3 or radiation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AN D | ON | 2010/08/12 15:32 |
| S127 | 2382 | S126 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:33 |
| S128 | 44 | S127 and ((glass near3 (plate or substrate)).clm,. ab,.ti.) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2010/08/12 15:34 |
| S129 | 171133 | ((back or under or lower) near3 (surface)) same (heat \$3 or radiation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:37 |
| S130 | 2840 | ((back or under or lower) near3 (surface)) same (heat \$3 or radiation) same (glass near3 (substrate or plate)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:37 |
| S131 | 898 | ((back or under or lower) near3 (surface)) near10 (heat\$3 or radiation) same (glass near3 (substrate or plate)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:38 |

| S132 | 51 | S131 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:38 |
|------|--------|--|--|-----|----|---------------------|
| S133 | 0 | ("2345356").URPN. | USPAT | AND | ON | 2010/08/12 15:40 |
| S134 | 14138 | ((back or under or lower) near3 (surface)) same (heat \$3 or radiation) same glass | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:40 |
| S135 | 727 | S134 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:41 |
| S136 | 66 | S135 (thermosetting) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:41 |
| S137 | 12 | S135 (thermoset\$4 near3 coating) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:44 |
| S138 | 506 | "5698155" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:45 |
| S139 | 721277 | (((back or under or lower) near3 (surface)) or (undersurface or second)) with (heat\$3 or radiation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:47 |
| S140 | 19728 | S139 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:47 |
| S141 | 450 | S140 (thermoset\$4 near3 coating) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:48 |
| S142 | 10077 | (((back or under or lower or second) near3 (surface or side)) or (undersurface)) with (heat\$3 or radiation) same (glass) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:49 |
| S143 | 10077 | (((((back or under or lower or second) near3 (surface or side)) or (undersurface)) with (heat\$3 or radiation)) same (glass) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:50 |
| S144 | 463 | S143 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:50 |

| S145 | 2 | ("2194611").URPN. | USPAT | and | ON | 2010/08/12 15:54 |
|------|-----|---|--|-----|----|---------------------|
| S146 | 329 | S144 not fiber | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 15:58 |
| S147 | 1 | 09/984244.app. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:01 |
| S148 | 512 | (back near3 heat\$3) same (glass near3 (plate or panel or spandrel or substrate)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:10 |
| S149 | 30 | S148 "427".clas. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:10 |
| S150 | 23 | S149 not fiber | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:16 |
| S151 | 75 | S144 (thermoset\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:20 |
| S152 | 69 | S142 (thermoset\$4 near5 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:21 |
| S153 | 30 | S152 not fiber | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | AND | ON | 2010/08/12 16:23 |

EAST Search History (Interference)

< This search history is empty>

8/13/2010 12:03:52 PM

C:\ Documents and Settings\ pkhatri\ My Documents\ EAST\ Workspaces\ 10591223 powder coating on glass.wsp